EcoTank ET-M3140



With this 4-in-1 ink tank system, benefit from 11,000 pages' worth of ink in the box, a three-year warranty and minimal user intervention.

A new mono EcoTank printer for business, with an extremely low TCO in a userfriendly, stylish and compact design. Print up to an amazing 11,000 pages with the included ink that comes in two bottles for mess-free, easy refills. USB connectivity, a 20ppm print speed and duplex printing all help to keep productivity high.

Save money

A high ink yield combined with Epson's economical inkjet technology delivers a low TCO and a competitive cost per page.

Save time

This reliable cartridge-free printer features an enhanced ink filling system and easy-to-use ink bottles, keeping intervention to minimum. Thanks to the ink tank being positioned at the front of the printer with a clear view of the ink levels, this new design is compact and provides easy access for refilling. Its fast First Page Out Time (FPOT) of six seconds from sleep, and 20ppm print speed, mean you won't be waiting around for jobs.


Save energy

Unlike a laser, our inkjet technology doesn't need any heat during the printing process, helping to keep energy use low and reduce electricity bills.

Business features

Benefit from a 600dpi print resolution, a high scan resolution and double-sided printing. USB connectivity and a compact footprint mean that its easy to place on a desktop and connect to a user's PC or laptop.

DATASHEET / BROCHURE



KEY FEATURES

• Low TCO

Keep your printing costs extremely low • High ink yields

- Print up to 11,000 pages with the included ink
- Save time Fast FPOT
- Low energy use Due to inkjet technology
- 4-in-1

Print, scan, copy and fax



PRODUCT SPECIFICATIONS

TECHNOLOGY	
Printing Method	PrecisionCore™ TFP print head
Nozzle Configuration	400 Nozzles black
Minimum Droplet Size	2.8 pl
Ink Technology	Pigment ink
Application	Home Office, Office Desktop, Office Workgroup
All-in-One Functions	Print, Scan, Copy, Fax
PRINT	
First Page Out from Ready	Monochrome 6 Seconds
Printing Speed ISO/IEC 24734	20 pages/min Monochrome
Duplex Printing Speed ISO/IEC 24734	9 A4 pages/min Monochrome
Printing Speed ISO/IEC 24734 (A3)	1 20 pages/min Monochrome
Maximum Printing Speed	39 pages/min Monochrome (plain paper)
Printing Resolution	1,200 x 2,400 dpi
Max Duty cycle	5,000 pages per month
	The maximum number of printed pages per month based on the performance capabilities of
	the printer, including ISO rated print speeds and paper handling capabilities.
Recommended Duty Cycle	200 - 800 pages per month
Colours	Black
For detailed information on p	inting speeds please visit http://www.epson.eu/testing.
SCAN	
Scanning Speed (new)	12 ipm (Monochrome, 200 dpi; 27 ipm (Colour, 200 dpi;
Scanning Resolution	1,200 dpi x 2,400 dpi (Horizontal x Vertical)
Optical Resolution (ADF)	1,200 dpi x 2,400 dpi (Horizontal x Vertical)
Output formats	BMP, JPEG, PICT, TIFF, PDF, PNG
Scanner type	Contact image sensor (CIS)
FAX	
Type of fax	Walk-up black and white and colour fax capability
Fax Transmission Speed	upto 33.6kbps / Approx. 3 sec/page
Error correction mode	CCITU/ITU Group3 fax with Error Correction Mode
Fax speed dials (max)	100 names and numbers
Page memory	upto 180 pages (ITU-T No.1 chart)
Fax Functions	PC Fax, Auto Redial, Address Book, Broadcast Fax
СОРҮ	
Copy Speed	up to 17 ipm Black
	*Simplex ADF 600 x 600 dpi (ISO/ IEC 24735)
Copy resolution (dpi)	600 x 1200
Reduction / Enlargement	25 % - 400 %
Mandan and a subscription of a subscription	99
Maximum number of copies	

Interfaces

Hi-Speed USB - compatible with USB 2.0 specification

EcoTank ET-M3140

WHAT'S IN THE BOX

Printer



PRODUCT SPECIFICATIONS

PAPER / MEDIA HANDLING	
Paper Formats	A4, Legal
Automatic Document Feeder	35 pages
Compatible Paper Thickness	64 mm - 95 mm
Compatible Paper Weight	64 g/m² - 90 g/m²
Duplex	Yes
Standard Paper input	250 Sheets Standard, 1 Sheets MP tray
Output Tray Capacity	100 Sheets
Paper Tray Capacity	250 Sheets Standard
Standard paper tray(s)	1-Sheet paper tray, 250-sheet paper tray
Maximum paper input	251
Rear paper path (special media)	Yes
Number of paper trays	2
GENERAL Recommended number of	From 1 to 3
users	
Product dimensions	375 x 347 x 346 mm (Width x Depth x Height)
Product weight	7.2 kg
Noise Level	6.9 B (A) according to ISO 7779 pattern with Epson Premium Glossy Photo Paper / Photo RPM
	mode - 56 dB (A) according to ISO 9296
Compatible Operating	Mac OS 10.10.x, Mac OS 10.7.x, Mac OS 10.8.x, Mac OS 10.9.x, Mac OS X 10.11.x, Mac OS X
Systems	10.12.x, Mac OS X 10.6.8, Windows 10, Windows 7, Windows 8, Windows 8.1, Windows Server
Cystems	2003 R2 x64, Windows Server 2008 (32/64bit), Windows Server 2008 R2, Windows Server 2012
	(64bit), Windows Server 2012 R2, Windows Server 2016, Windows Vista, Windows XP SP3,
	Windows XP Professional x64 Edition SP2
Sound Power	Operation: 6.9 B (A)
Sound Pressure	Operation: 56 dB (A)
Power Supply	220V. 240V
ADDITIONAL FEATURES Memory	2 MB included
LCD screen	Diagonal: 6.1 cm
Media Handling	ADF 2-sided copy (A4, plain paper)
	ראר ב-סונפע ניסאי (דר, אומווי אואפי)
OTHER FEATURES	
Emulations	GDI
OTHER	
Warranty	12 months Carry in, 100,000 pages

SUPPLIES

• EcoTank ET-MX1XX Series Black Bottle XL

C13T03M140 6,000 pages

LOGISTICS INFORMATION

SKU	C11CG91402BY
EAN code	8715946655086

Web: www.epson.co.uk www.epson.ie

Trademarks and registered trademarks are the property of Seiko Epson Corporation or their respective owners. Product information is subject to change without prior notice. Last extracted: 2019-01-07 EcoTank ET-M3140

INK YIELD DATA

•

T03M1 6,000 pages*

* Approx. page yield based on ISO/IEC 24711/24712 or ISO/ IEC 29102/29103. Actual yield will vary depending on images printed and usage conditions. For more information visit http://www.epson.eu/pageyield

